

# CONTENTS — VOLUME 20

## Number 1

### Original Article

Tissue factor expression in human leukemic cells

- 1 G. A. Hair, S. Padula, R. Zeff, M. Schmeizl, J. Contrino, D. L. Kreutzer, P. de Moerloose, A. W. Boyd, I. Stanley, A. W. Burgess and F. R. Rickles

### Commentary

Deciphering the pathogenesis of coagulation dysfunction in leukemia

- 13 M. S. Tallman

### Original Articles

Inhibition of human leukaemia 60 cell growth by S-D-lactoylglutathione *in vitro*. Mediation by metabolism to N-D-lactoylcysteine and induction of apoptosis

- 17 L. G. Edwards, A. Adesida and P. J. Thornalley

Effects of recombinant human granulocyte colony-stimulating factor on the growth potential of two murine myeloid leukemias

- 27 K. Kabaya, M. Obuchi, T. Kuwaki, K. Shibuya, M. Watanabe, K. Nemoto, K. Yoshida, M. Kusaka, T. Inoue and M. Seki

Effects of fludarabine and gemcitabine on human acute myeloid leukemia cell line HL 60: direct comparison of cytotoxicity and cellular Ara-C uptake enhancement

- 37 V. Santini, G. D'Ippolito, P. A. Bernabei, A. Zoccolante, A. Ermini and P. Rossi-Ferrini

Modulation of surface TNF expression by human leukaemic cells alters their sensitivity to exogenous TNF

- 47 Yu-Ling Wu, Xu-Rong Jiang, P. D. Allen, Li Jia, D. M. Dronfield, A. C. Newland and S. M. Kelsey

The novel immunomodulator, Linomide, stimulates interleukin-2-induced human natural killer (NK) cell and PHA-stimulated T cell proliferation from normal donors

- 57 R. Condiotti, S. Slavin, V. Barak and A. Nagler

Effects of endogenous interleukin 1 on blast cells derived from acute myelogenous leukemia patients

- 65 Ø. Bruserud

Levels of CAF7 (CD98) expression correlate with the complete remission duration in childhood acute leukemia

- 75 H. Taskov, A. Pashov, E. Dimitrova, M. Yordanova and M. Serbinova

Parvovirus B19 infection infrequently involved in children and adults with myelodysplastic syndrome

- 81 H. Hasle, E. D. Heegaard, G. Kerndrup, I. M. Jensen, N. A. Peterslund and A. Hornsleth

Detection of c-myc oncogene amplification in a CML blastic phase patient with double minute chromosomes

- 85 M. Karasawa, K. Okamoto, T. Maehara, N. Tsukamoto, K. Morita, T. Naruse and M. Omine

FcγRII and FcγRIII on normal and leukaemic granulocytes: a flow cytometry and northern analysis

- 93 A. Kant, S. Advani and S. Zingde

## Number 2

### Original Article

bcl-2 protein downregulation is not required for differentiation of multidrug resistant HL60 leukemia cells

- 101 M. V. Blagosklonny, M. Alvarez, A. Fojo and L. M. Neckers

### Commentary

A day in the life of the Bcl-2 protein: does the turnover rate of Bcl-2 serve as a biological clock for cellular lifespan regulation?

- 109 J. C. Reed

### Original Articles

Infrequent microsatellite instability during the evolution of the myelodysplastic syndrome to acute myelocytic leukemia

- 113 T. Tasaka, S. Lee, S. Spira, S. Takeuchi, Y. Hatta, M. Nagai, J. Takahara and H. P. Koeffler

Enhanced topoisomerase II-induced DNA breaks and free radical production by a new anthracycline with potent antileukemic activity

Modulation of metabolism and cytotoxicity of cytosine arabinoside with *N*-(phosphon)-acetyl-L-aspartate in human leukemic blast cells and cell lines

Interleukin-2-mediated growth of leukemic cells in lymph nodes of patients with adult T-cell leukemia/lymphoma

Enhanced *ex vivo* drug sensitivity testing of chronic lymphocytic leukaemia using refined DiSC assay methodology

Comparison of the effects of 2-chlorodeoxyadenosine and melphalan on myeloma cell lines

Down regulation of *NM23.H1*, *NM23.H2* and *c-myc* genes during differentiation induced by 1,25 dihydroxy-vitamin D<sub>3</sub>

ASTA-Z 7557 impairs human natural killer (NK) cell activity

Cytogenetics and P-glycoprotein (PGP) are independent predictors of treatment outcome in acute myeloid leukemia (AML)

Cancers in relatives of children with non-Hodgkin's lymphoma

Spontaneous granulocyte-macrophage colony growth by peripheral blood mononuclear cells in myeloproliferative disorders

### Concise Report

Analysis of the novel cyclin-dependent kinase 4 and 6 inhibitor gene p18 in lymphoma and leukemia cell lines

- 119 W. Andrivon, J.-M. Saucier, C. Auclair, C. Monneret, J.-C. Florent, J.-J. Guillosson and J. Nafziger
- 127 P. Noordhuis, K. M. Kazemier, G.-J. L. Kaspers and G. J. Peters
- 135 K. Matsushita, N. Arima, T. Fujiyoshi, Y. Daitoku, S. Hidaka, H. Ohtsubo, J. Fukumori, H. Fujiwara, T. Matsumoto and H. Tanaka
- 143 A. G. Bosanquet and P. B. Bell
- 155 Ö. Hjertner, M. Börset and A. Waage
- 161 M. A. Caligo, G. Cipollini, M. Petrini, P. Valentini and G. Bevilacqua
- 169 R. Condiotti, S. Slavin and A. Nagler
- 175 A. Samdani, U. Vijapurkar, M. A. Grimm, C. S. Spier, T. M. Grogan, B. J. Glinsmann-Gibson and A. F. List
- 181 C. Le Bihan, C. Moutou, A. Chompret, A. Abel, N. Poisson, L. Brugières, J. Lemerle and C. Bonaïti-Pellié
- 187 T. Siitonen, A. Zheng, E.-R. Savolainen and P. Koistinen
- 197 R. Siebert, C. P. Willers, A. Fosså, O. Kloke, M. R. Nowrousian, S. Seeber and B. Opalka
- 201 Announcement

## Number 3

### Review

Myelodysplastic syndromes in the elderly: the role of growth factors in management

### Original Article

Activity of Fgr protein-tyrosine kinase is reduced in neutrophils of patients with myelodysplastic syndromes and chronic myelogenous leukemia

### Commentary

The function of src family tyrosine kinases in hematopoietic cells

### Original Articles

Deletion of the acetylcholinesterase locus at 7q22 associated with myelodysplastic syndromes (MDS) and acute myeloid leukaemia (AML)

All-*trans* retinoic acid combined with interferon-alpha effectively inhibits granulocyte-macrophage colony formation in chronic myeloid leukemia

Regulation of topoisomerase II expression during the VM-26 induced differentiation of IW32 murine erythro-leukemia cells

- 203 H. I. Saba
- 221 T. Kohno, S. Katamine, R. Moriuchi, T. Miyamoto and M. Tomonaga
- 229 Yin Xu, J. W. Potter and C. L. Willman
- 235 J. Stephenson, B. Czepulkowski, W. Hirst and G. J. Mufti
- 243 Aiping Zheng, E.-R. Savolainen and P. Koistinen
- 249 Sai-Koong Tan, Shye-Jay Tang, Mei-Chih Wang, Jaulang Hwang and Fung-Fang Wang

Arylsulfatase B in Kurloff cells: increased activity of anionic isoforms in guinea pig acute lymphoblastic leukemia

Serum TNF-alpha, gamma-INF, G-CSF and GM-CSF levels in neutropenic children with acute leukemia treated with short-course, high-dose methylprednisolone

Interaction of reactive nitrogen and oxygen intermediates in HL60 and dimethylsulphoxide-differentiated HL60 cells

### Brief Communication

The location of MZF-1 at the telomere of human chromosome 19q makes it vulnerable to degeneration in aging cells

259 S. Taouji, C. Debout and J. Izard

265 A. M. Tuncer, G. Hiçsönmez, F. Gümrük, T. Sayli, E. Güler, M. Çetin and H. Okur

271 N. Ahmed and M. J. Weidemann

281 S. M. G. Hoffman, R. Hromas, C. Amemiya and H. W. Mohrenweiser

## Number 4

### Review

Incidence and time trends for lymphomas, leukemias and myelomas: hypothesis generation

### Original Article

Differential interleukin-6 (IL-6) responses of three established myeloma cell lines in the presence of soluble human IL-6 receptors

### Commentary

Therapeutic strategies for inhibition of interleukin-6 mediated multiple myeloma cell growth

### Original Articles

The effects of cisplatin and methotrexate on the expression of human immunodeficiency virus type 1 long terminal repeat

Doppa induces cell death but not differentiation of U937 cells: evidence for the involvement of PKC- $\beta$ 1 in the regulation of apoptosis

Clinical significance of LEA-1 expression in adult acute myeloid leukemia

Detection of *in vivo* differentiation of murine WEHI-3B D<sup>+</sup> leukemia cells transfected with the lac-Z marker gene using two-color flow cytometry

Dibutyl phthalate purged autologous bone marrow transplant in the treatment of leukemia

Characterization of acute lymphoblastic leukemia subtypes in Brazilian patients

Expression of CD26/dipeptidyl peptidase IV in adult T cell leukemia/lymphoma (ATLL)

### Meeting Report

Molecular vaccines in infection and cancer

### Letter to the Editors

Younger age observation in myelodysplastic syndrome

285 P. Vineis and the Working Group on the Epidemiology of Hematolymphopoietic Malignancies in Italy

291 M. Diamant, M. B. Hansen, K. Rieneck, M. Svenson, K. Yasukawa and K. Bendtzen

303 A. Ogata and K. C. Anderson

309 John Panozzo, James Panozzo, E. Akan, C. Libertin and G. E. Woloschak

319 J. Pongracz, E. M. Deacon, G. D. Johnson, D. Burnett and J. M. Lord

327 H. Kawada, R. Fukuda, M. Yoshida, M. Takei, N. Kobayashi, A. Masumoto, Y. Ogawa, T. Sasao, N. Kubota, S. Watanabe, Y. Umeda, K. Yamauchi, S. Yonekura and Y. Ichikawa

333 M. Hayashi, M. Tomida, M. Hozumi, I. C. King and A. C. Sartorelli

343 Wang Lisheng, Wu Chutse, Pei Xuetao, Xu Li, Cao Jurong, Xue Huihua, Yang Ke, Teng Aiping and Ji Shuquan

349 E. M. Rego, A. B. Garcia, S. R. Viana and R. P. Falcão

357 S. Kondo, T. Kotani, K. Tamura, Y. Aratake, H. Uno, H. Tsubouchi, S. Inoue, Y. Niho and S. Ohtaki

365 F. Stevenson

367 S. Paydas and R. Kocak



## Number 5

### Original Article

Trisomy 12 is a rare cytogenetic finding in typical chronic lymphocytic leukemia

369 S. Woessner, F. Solé, A. Pérez-Losada, L. Florensa and R. M. Vilá

### Commentary

Trisomy 12 in chronic lymphocytic leukaemia

375 E. Matutes

### Original Articles

Treatment of leukemia with fibroblast-mediated interferon-alpha gene therapy alone or in combination with doxorubicin

379 Jianli Wang, Xuetao Cao, Weiping Zhang, Tianxing Ye and K. Tani

Treatment of high risk myelodysplastic syndromes with idarubicin and cytosine arabinoside supported by granulocyte-macrophage colony-stimulating factor (GM-CSF)

385 T. Economopoulos, E. Papageorgiou, N. Stathakis, M. Constantinidou, A. Parharidou, A. Kostourou, J. Dervenoulas and S. Raptis

A comparison of the effect of bcr/abl breakpoint specific phosphothiorate oligodeoxynucleotides on colony formation by bcr/abl positive and negative, CD34 enriched mononuclear cell populations

391 R. Chasty, A. Whetton and G. Lucas

Effect of methylglyoxal on human leukaemia 60 cell growth: modification of DNA, G<sub>1</sub> growth arrest and induction of apoptosis

397 Y. Kang, L. G. Edwards and P. J. Thornalley

An *in vitro* study of blast cell metabolism in acute myeloid leukaemia using the MTT assay

407 A. W. Elgie, J. M. Sargent, C. G. Taylor and C. Williamson

Inhibitory effect of a nucleoside analog, acyclovir, on leukemia cells

415 J. Nishimaki, K. Miyazawa, A. Gotoh, O. Yoshikawa, K. Ohyashiki and K. Toyama

Association of repeat sequences with integrated retroviruses in a murine leukaemia cell line

421 E. S.-P. Ho, B. van Leeuwen and H. C. O'Neill

c-myc intron I protein binding and association with transcriptional activity in leukemic cells

429 S. Dooley, T. Seib, C. Welter and N. Blin

### Concise Report

Persistence of *E2A/PBX1* transcripts in t(1;19) childhood acute lymphoblastic leukemia: correlation with chemotherapy intensity and clinical outcome

441 C. Lanza, E. Gottardi, G. Gaidano, C. Vivenza, A. Parziale, F. Perfetto, M. Fornaci, E. Barisone, E. Madon, G. Basso and G. Saglio

### Letter to the Editors

B cell malignancy and hepatitis C virus infection

445 T. Izumi, R. Sasaki, Y. Miura and H. Okamoto

447 Announcements

## Number 6

### Original Article

Human acute myeloid leukemias may be etiologically associated with new human retroviral infection

449 Rongzheng Xu, Qikang Gao, Shijiong Wang, Hsiao-hsian Kan, Liying Sheng, Cuiqing Li, Xiaohong Zhang, Genbo Xu and Keqi Zhang

### Commentary

HTLV infection and hematologic malignancies

457 T. P. Loughran

### Original Articles

Analysis of the erythropoietin receptor gene in patients with myeloproliferative and myelodysplastic syndromes

459 M. Mittelman, J. Gardyn, M. Carmel, H. Malovani, Y. Barak and U. Nir

Usefulness and limitations of serum and urine lysozyme levels in the classification of acute myeloid leukemia: an analysis of 208 cases

The effect of *bcr-abl* antisense oligonucleotide on DNA synthesis and apoptosis in K562 chronic myeloid leukemia cells

Influence of rhGM-CSF on Ara-C sensitivity of patients with acute myeloid leukemia in relapse: a flow cytometry study

Angelmicin B, a new inhibitor of oncogenic signal transduction, inhibits growth and induces myelomonocytic differentiation of human myeloid leukemia HL-60 cells

Retinoid-regulated expression of BCL-2 and tissue transglutaminase during the differentiation and apoptosis of human myeloid leukemia (HL-60) cells

CD40 ligand triggers interleukin-6 mediated B cell differentiation

### Case Report

Oligoblastic leukaemia with (8;21) translocation and haemophagocytic syndrome and granulocytic cannibalism

### Concise Report

BCR/ABL and leukemia

### Letters to the Editors

What is a 'step' in a multi-step pathogenesis of leukemia?s of leukemia?

Responsiveness of AML cells to recombinant hematopoietic growth factors: relationship with morphological and immunological characteristics of blast cells

467 C. Sexton, D. Buss, B. Powell, M. O'Connor, R. Rainer, R. Woodruff, J. Cruz, M. Pettenati, P. N. Rao and L. D. Case

473 P. T. Rowley, P. C. Keng and B. A. Kosciolk

481 F. Lacombe, M. Puntous, P. Dumain, P. Cony-Makhoul, F. Belloc, P. Bernard, M. Boisseau and J. Reiffers

491 A. Yokoyama, J. Okabe-Kado, Y. Uehara, T. Oki, S. Tomoyasu, N. Tsuruoka and Y. Honma

499 L. Nagy, V. A. Thomázy, R. A. S. Chandraratna, R. A. Heyman and P. J. A. Davies

507 M. Urashima, D. Chauhan, M. Hatziyanni, A. Ogata, D. Hollenbaugh, A. Aruffo and K. C. Anderson

517 A. Domingo-Claros, E. Alonso, A. Aventin, J. Petit, N. Crespo, C. Ponce and A. Grañena

523 A. Butturini, R. B. Arlinghaus and R. P. Gale

531 G. M. Janković, M. D. Čolović, A. D. Bogdanović, D. Vukanić, M. Andolina and A. Anagnostopoulos

533 J. Almeida, M<sup>a</sup> C. Del Cañizo, J. Galende and J. F. San Miguel

## Number 7

### Review

High-dose chemotherapy in adult acute myeloid leukemia: rationale and results

### Original Article

Study of clonality in myelodysplastic syndromes: detection of trisomy 8 in bone marrow cell smears by fluorescence *in situ* hybridization

### Commentary

Molecular cytogenetics and the myelodysplastic syndromes

### Original Articles

Diagnostic criteria for hypocellular acute leukemia: a clinical entity distinct from overt acute leukemia and myelodysplastic syndrome

535 R. Stasi, A. Venditti, G. Del Poeta, G. Aronica, E. Abruzzese, F. Pisani, M. Cecconi, M. Masi and S. Amadori

551 E. Abruzzese, D. Buss, R. Rainer, P. N. Rao and M. J. Pettenati

559 J. Anastasi

563 K. Nagai, T. Kohno, Yun-Xian Chen, H. Tsushima, H. Mori, H. Nakamura, I. Jinnai, T. Matsuo, K. Kuriyama, M. Tomonaga and J. M. Bennett

The dual expression of minor and major bcr/abl chimeric mRNA in blast crisis of chronic myelogenous leukemia  
Evaluation of monoclonal antibody-mediated anti-acute myeloid leukemia immunotherapy in a SCID/hu model

Stem cell factor and stromal cell co-culture prevent apoptosis in a subculture of the megakaryoblastic cell line, UT-7

Possible transforming activity of interferon regulatory factor 2 in tumorigenicity assay of NIH3T3 cells transfected with DNA from chronic myelogenous leukemia patients

Response of B-cell lymphoma to a combination of bi-specific antibodies and saporin

Very late antigen (VLA) expression by normal and neoplastic human plasma cells; including an assessment of antibodies submitted to the Vth International Workshop on Leucocyte Differentiation Antigens Using Human Myeloma Cell Lines

### Letters to the Editors

Cell size heterogeneity in AML—DNA ploidy as another possible association

Alpha-2a-interferon administration and FcγRIII expression on neutrophils from chronic myeloid leukemia

575 M. Tanaka, Y. Yamazaki, M. Hattori, K. Tsushita, M. Utsumi and S. Yoshida

581 Rui-kun Zhong, A. D. Donnenberg, L. D. Shultz, S. H. Swerdlow, E. Lee, J. Rubin, R. Kozii, Jian Chen, D. L. Griffin, J. Wilson and E. D. Ball

591 J. L. Liesveld, A. W. Harbol and C. N. Abboud

601 M. Futaki, K. Inokuchi, H. Hanawa, S. Tanosaki, K. Dan and T. Nomura

607 R. R. French, A. J. Bell, T. J. Hamblin, A. L. Tutt and M. J. Glennie

619 M. Drew, H. F. Barker, J. Ball, C. Pearson, G. Cook and I. Franklin

625 Y. L. Kwong

627 G. Carulli, F. Papineschi, A. Azzarà and F. Ambrogi

## Number 8

### Invited Review

Severe congenital neutropenia terminating in acute myeloid leukemia: disease progression associated with mutations in the granulocyte-colony stimulating factor receptor gene

629 I. P. Touw and F. Dong

### Original Articles

Promotion of IL8, IL10, TNFα and TNFβ production by EBV infection

633 S. C. Klein, D. Kube, H. Abts, V. Diehl and H. Tesch

Granulocyte-macrophage colony-stimulating factor dependent monocyte-mediated cytotoxicity post-autologous bone marrow transplantation

637 A. Nagler, I. Shur, V. Barak and I. Fabian

Failure to induce resistance to cytotoxic drugs in normal lymphocytes

645 P. Bentley, A. Thomas and J. Thomas

Study of chronic lymphocytic leukemia cells by FT-IR spectroscopy and cluster analysis

649 C. P. Schultz, Kan-zhi Liu, J. B. Johnston and H. H. Mantsch

Comparison of drug accumulation in P-glycoprotein-expressing and MRP-expressing human leukaemia cells  
All-trans and 9-cis retinoic acid enhance 1,25-dihydroxyvitamin D<sub>3</sub>-induced monocytic differentiation of U937 cells

657 M. W. Davey, R. M. Hargrave and R. A. Davey

Deoxycytidine kinase mRNA levels in leukemia cells with competitive polymerase chain reaction assay

665 H. Nakajima, M. Kizaki, H. Ueno, A. Muto, N. Takayama, H. Matsushita, A. Sonoda and Y. Ikeda

Expression of Bcl-x in T cells

677 H. Kawasaki, K. Shindou, M. Higashigawa, D.-C. Cao, H. Hori, M. Ido and M. Sakurai

A sequential erythropoietin and GM-CSF schedule offers clinical benefits in the treatment of anaemia in myelodysplastic syndromes

683 G. Y. Michaud, H. Kamesaki and J. Cossman

693 P. Bernell, L. Stenke, J. Wallvik, E. Hippe and R. Hast

### Book Review

The Hemopoietic Colony-stimulating Factors: From Biology to Clinical Applications

701 J. M. Bennett



## Number 9

### Editorial

Appointment of Assistant Editors

703 J. M. Bennett and T. J. Hamblin

### Guest Editorial

Thrombopoietin and the physiology of platelet production

705 K. Kaushansky

### Original Articles

Hidden monosomy 7 in acute myeloid leukemia and myelodysplastic syndrome detected by interphase fluorescence *in situ* hybridization

709 M. Arif, K. Tanaka, C. Damodaran, H. Asou, T. Kyo, H. Dohy and N. Kamada

Mixed myelodysplastic and myeloproliferative syndromes

717 R. Neuwirtová, K. Mociková, J. Musilová, J. Jelínek, F. Havlíček, K. Michalová and M. Adamkov

A case-control study of myelodysplastic syndromes among Japanese men and women

727 M. Ido, C. Nagata, N. Kawakami, H. Shimizu, Y. Yoshida, T. Nomura and H. Mizoguchi

Relapse of acute promyelocytic leukemia follows serial negative RT-PCR assays: a cautionary tale

733 P. E. Devaraj, L. Foroni, G. H. Prentice, V. A. Hoffbrand and L. M. Secker-Walker

Actin mRNA is not lowered in chronic myeloid leukemic granulocytes

739 A. M. Kant, S. H. Advani and S. M. Zingde

Heterogenous effects of bryostatin on human myeloid leukemia clonogenicity: dose and time scheduling dependency

743 K. G. van der Hem, G. J. Schuurhuis, A. M. Dräger, J. H. Odding and P. C. Huijgens

Synergistic effects of interleukin-11 with other growth factors on the expansion of hematopoietic progenitors from normal individuals and chronic myeloid leukemia patients resistant to treatment with cytosine arabinoside or Eilatin

751 M. Einat, A. Nagler, A. Amiel, M. D. Fejgin, A. Rudi, Y. Kashman and I. Fabian

Mutation in the ligand-binding domain of the retinoic acid receptor alpha in HL-60 leukemic cells resistant to retinoic acid and with increased sensitivity to vitamin D<sub>3</sub> analogs

761 B. T. Doré and R. L. Momparler

Increasing methylation of the calcitonin gene during disease progression in sequential samples from CML patients

771 K. I. Mills, B. A. Guinn, V. A. Walsh and A. K. Burnett

*In vitro* activity on myeloid progenitors of a combination of 2-chloro-2'-deoxyadenosine and interferon alpha: the effects of IL-1 and GM-CSF

777 P. Ballarino, G. Castello, R. Lerza, A. Cerruti, G. Bogliolo and I. Pannacciulli

Ethacrynic acid and 1 $\alpha$ ,25-dihydroxyvitamin D<sub>3</sub> cooperatively inhibit proliferation and induce differentiation of human myeloid leukemia cells

781 M. Makishima and Y. Honma

Incidence of 5' *bcl-2* rearrangement in patients with B cell chronic lymphocytic leukemia from India

791 P. M. Parikh, S. Desai, K. N. Naresh, B. Shakuntaka, K. Laxminarayan, C. N. Nair, M. Ladanyi, C. S. Soman, S. H. Advani and R. S. K. Chaganti

### Comment

Adhesion molecules in acute myeloid leukemia

795 E. Paietta

### Book Review

Stem Cell Grafting From Hematological Rescue to Somatic Gene Therapy

799 T. Hamblin

## Number 10

### Concise Review

Molecular diagnosis and monitoring of acute myeloid leukemia

801 A. Biondi and A. Rambaldi

## Original Article

The murine myeloperoxidase gene contains a bipartite distal enhancer, including a novel region regulated by PEBP2/CBF

## Commentary

Control of myeloperoxidase gene expression in developing myeloid cells

## Original Articles

Growth of single HL60 cells in liquid culture: analysis of the influences of differentiative agents

Expression of thrombopoietin and thrombopoietin receptor MPL in human leukemia-lymphoma and solid tumor cell lines

Expression of CD44 variant isoforms in peripheral blood leukocytes in malignant lymphoma and leukemia: inverse correlation between expression and tumor progression

Characterization of the AKR thymic microenvironment and its influence on thymocyte differentiation and lymphoma development

## Clinical Article

Combined differentiating therapy for myelodysplastic syndromes: a phase II study

## Brief Communication

Lymphocytes from CML patients lack a 47 kDa factor having affinity for a genomic sterol regulatory sequence

809 A. D. Friedman, M. Britos-Bray and J. Suzow

817 G. E. Austin, Wei-Guo Zhao, A. Adjiri and Ji-Pu Lu

821 L. A. Wallington, J. Durham, C. M. Bunce and G. Brown

831 G. Graf, U. Dehmel and H. G. Drexler

839 S. Khaldoyanidi, M. Achtnich, R. Hehlmann and M. Zöller

853 G. M. Davey, C. L. Tucek-Szabo and R. L. Boyd

867 D. Ferrero, B. Bruno, P. Pregno, S. Stefani, E. Larizza, G. Ciravegna, A. Luraschi, G. Vietti-Ramus, P. Schinco, M. Bazzan, E. Gallo and A. Pileri

877 R. Goel, D. Kaul and S. Varma

## Number 11/12

## Guest Editorial

The myelodysplastic syndromes in 1996: complex stem cell disorders confounded by dual actions of cytokines

## Original Articles

Measurement of apoptosis, proliferation and three cytokines in 46 patients with myelodysplastic syndromes

RAS gene mutations in Chinese leukaemia patients and members of a family with high incidence of leukaemia  
Extramedullary blast crisis in chronic myeloid leukemia

The value of the monoclonal antibody, DBA44, in the diagnosis of B-lymphoid disorders

Effect of stem cell factor on leukemic progenitor cell growth and sensitivity to cytosine-arabinoside

Enhanced delivery of synthetic oligonucleotides to human leukaemic cells by liposomes and immunoliposomes

881 A. Raza, S. A. Gregory and H. D. Preisler

891 V. Shetty, S. Mundle, S. Alvi, M. Showel, L. Broady-Robinson, S. Dar, R. Borok, J. Showel, S. Gregory, S. Rifkin, S. Gezer, A. Parcharidou, P. Venugopal, R. Shah, B. Hernandez, M. Klein, D. Alston, E. Robin, C. Dominquez and A. Raza

901 L.-Z. He, J. Stephenson, G. Y. He and G. J. Mufti

905 G. Specchia, G. Palumbo, D. Pastore, D. Mininni, A. Mestice and V. Liso

909 F. Salomon-Nguyen, F. Valensi, X. Troussard and G. Flandrin

915 J.-F. Viallard, C. Grosset, F. Lacombe, S. David, F.-X. Mahon, C. Barbot, I. Vianes, M. Dupouy and J. Reiffers

925 D. D. F. Ma and Ai-Qun Wei



Characterization of newly established human myeloid leukemia cell line (KF-19) and its drug resistant sublines

Failure of cyclosporine to induce graft-vs-host disease or graft-vs-leukemia after syngeneic bone marrow transplantation in mice

The effect of edelfosine on CTP:cholinephosphate cytidyltransferase activity in leukemic cell lines

Reactivity of anti-AraC-resistant cell monoclonal antibody, YU-311, in formalin-fixed paraffin-embedded specimens of various hematopoietic disorders

Isolation and phenotypic characterization of CD117-positive cells

Results of treatment with an intensive induction regimen using idarubicin in combination with cytarabine and etoposide in children with acute myeloblastic leukemia

### Case Reports

A child case of CD34<sup>+</sup>, CD33<sup>-</sup>, HLA-DR<sup>-</sup>, CD7<sup>+</sup>, CD56<sup>+</sup> stem cell leukemia with thymic involvement

Translocation (9;17) a novel translocation in acute myeloid leukaemia

### Short Communication

Purging effect of dibutyl phthalate on leukemic cells associated with apoptosis

### Letters to the Editors

Comparison of haematological recovery kinetics after myeloablative therapy between sibling allogeneic bone marrow and peripheral blood progenitor cell transplantation in the same adult acute lymphoblastic leukaemia patient

Diffuse large cell lymphoma presenting as inflammatory bowel disease in an adolescent with ataxia telangiectasia

### Book Review

An Atlas of Malignant Haematology: Cytology, Histology and Cytogenetics

931 T. Fukuda, T. Kamishima, T. Kakiyama, Y. Ohnishi and T. Suzuki

941 S. Singhal, U. Vourka-Karussis, J. Mehta, S. Slavin and L. Weiss

947 W. R. Vogler, M. Shoji, D. J. Hayzer, Y. P. Xie and M. Renshaw

953 T. Fukuda, T. Kakiyama, T. Kamishima, T. Yamada, M. Uchiyama, T. Suzuki, K. Kishi and A. Shibata

963 S. Neu, A. Geiselhart, S. Kuçi, F. Baur, D. Niethammer and R. Handgretinger

973 F. Sackmann-Muriel, P. Zubizarreta, M. S. Felice, G. Chantada, A. M. Cygler, M. Gallego and J. Rossi

983 T. Nagata, M. Higashigawa, M. Nagai, Xiao Li Zhang, E. Azuma, Y. Komada and M. Sakurai

987 S. A. Brown, B. Czepulkowski and R. Ireland

989 Wang Lisheng, Wu Chutse, Pei Xuetao, Xu Li, Cao Jurong and He Fuchu

993 M. Stockschröder, H. T. Hassan, W. Krüger, H. Kabisch and A. Zander

997 G. Kapoor, R. J. Albrecht, R. Craver, C. Duncan and R. P. Warrier

999 J. M. Bennett

I Instructions to Authors

III Volume 20 Title Section, Contents and Author Index

